







#### **139PC CUSTOM SERIES TOOL KIT METRIC ONLY**

- 1/4", 3/8" & 1/2"Dr sockets & accessories
- Metric ROE & Gear drive Spanners
- Screwdrivers, Hex keys, Torx Keys
- Adjustable Wrench

ROLL CAB

SP50088

**202PC CUSTOM SERIES TOOL KIT METRIC ONLY** 

- 1/4", 3/8" & 1/2"Dr sockets & accessories Quad drive & Flare nut spanners
- Screwdrivers, hex keys, pliers & cutters
- Hammer, Pick set, Tape measure+ Much More

**SP50128XNZ** 

ROLL CAB

234PC CUSTOM SERIES **TOOL KIT METRIC ONLY** 

TOP BOX ROLL CAB

- 1/4", 3/8" & 1/2"Dr sockets & accessories Quad drive & Flare nut spanners
- Screwdrivers, hex keys, pliers & cutters
   Hammers, tape measure, Knife & Hacksaw
   Huch More

UHH SP50107X

VISIT SPTOOLSNZ.COM FOR FULL TOOLKIT LISTINGS







**SUMO SERIES TOOL CABINET TOOL KIT** METRIC/SAE

VISIT

SP50551X

EUA TOOL STORAGE

INCLUDES

1070(W) x 480(D) x 1090(H)



BUILT-IN POWER 8888



**TECH SERIES TOOL KIT** 289PC METRIC/SAE

1145(W) x 480(D) x 1029(H)

• 1/4"Dr, 3/8"Dr & 1/2"Dr Sockets & access.

- Quad Drive ROE spanners
- 31pc Ratchet driver set
- Screwdrivers & Hex Keys
- Pliers & cutters
- + MUCH MORE



SP50759DX

POWER 4 HUTCH + MUCH MORE ALSO AVAILABLE AS TOP BOX ONLY 218PC CUSTOM SERIES TOOL KIT METRIC/SAE 668(W) x 445(D) x 465(H) <sup>\$</sup>1495 SP50121X EUA TOOL STORAGE



680(W) x 460(D) x 1405(H) 219PC CUSTOM SERIES

1/4", 3/8" & 1/2"Dr sockets & accessories 747 **SP50122XNZ** 



680(W) x 460(D) x 1405(H)

**255PC CUSTOM SERIES** TOOL KIT METRIC & SAE

- 1/4", 3/8" & 1/2"Dr sockets & accessories
- Screwdrivers, hex keys, pliers & cutters
   Hammers, tape measure, Knife & Hacksaw SP50129XNZ



## **303PC CUSTOM SERIES**

680(W) x 460(D) x 1405(H)

- Quad drive & Flare nut spanners
  Screwdrivers, hex keys, pliers & cutters
  Hammers, tape measure, Knife & Hacksaw

SP50105X

 Screwdrivers, hex keys, pliers & cutters
 Hammer, Pick set, Tape measure
 + Much More VISIT SPTOOLSNZ.COM FOR FULL TOOLKIT LISTINGS

# **SPANNERS**



## QUAD DRIVE RING OPEN END

SP Tools patented QUAD DRIVE open end offers 4 times the gripping power of a standard ROE spanner by wrapping around the fastener and maximising the contact on the flat sides of the fastener head, not the points.



## METRIC COMBINATION E OUAD DRIVE SPANNER SET SIZES INCLUDED

• 6 to 21, 22 & 24mm





**QUAD DRIVE ROE COMBINATION SPANNER SETS** 

METRIC & SAE SET AVAILABLE

11pc METRIC • 8 to 22mm SP10011

11pc SAE • 1/4 to 7/8"

### QUAD DRIVE ROE COMBINATION SPANNER SETS

METRIC & SAE SET AVAILABLE

SP DGUBLE RING end spanners feature flat drive ring ends, making them the perfect spanner for getting to and loosening those tricky, hard to reach, often worn fasteners by increasing the contact area with the nut or bolt head. Greater offsets allows





METRIC & SAE SET AVAILABLE

**6pc METRIC** • 8 to 19mm SP10136

5pc SAE
• 5/16 to 15/16" SP10185



#### **BOX GEAR DRIVE DOUBLE RING SPANNER SET**

METRIC & SAE SET AVAILABLE

SP10412

• 5/16 to 3/4" SP10468



## **FLEX HEAD GEAR DRIVE**

SP Tools patented FLEX RIVE spanners allow for more than 180 degrees bend, allowing you to loosen or tighten nuts & bolts in hard to reach, confined areas. Precisely machined with deeper gears for greater torque loading and reliability with 72 teeth that only require 5° of space per turn. The ratchet head allows the spanner to travel without having the need to remove the spanner from the fastener.















**GEAR DRIVE ROE SPANNER SETS** 

METRIC & SAE SET AVAILABLE

8pc METRIC • 20 to 32mm SP10318

7pc SAE • 13/16 to 1-1/4" SP10367



**ROE QUAD DRIVE SPANNER SET** 

8pc SAE • 5/16 to 3/4" SP10358

11pc METRIC • 8 to 19mmm SP10311

\$329

METRIC & SAE SET AVAILABLE



BOX DOUBLE RING SPANNER SETS

METRIC & SAE SET AVAILABLE

**8pc METRIC** SP10628

• 5/16 to 3/4" SP10676



**BRUSHLESS** INDUSTRY LEADER

BOLT BUSTING TORQUE

NO LOAD 2200RPM

SP81134

- Capacity: 1/2" (13mm)
  Variable speed switch with brake
  Powerful brushless motor
  Lightweight & Compact
  Compact design Only 169mm
  long (Including anvil)
  Pagarithms
  Pagarithms
- Reversible
- Ergonomic soft grip handle

INCLUDES 2X 5.0AH BATTERY PACKS & CHARGER







#### 16V 3/8" BRUSHLESS IMPACT WRENCH KIT



## **16V INDUSTRIAL GREASE GUN**







INCLUDES 2X 3.0AH BATTERIES & CHARGER



SKIN ONLY

12V 2 SPEED MINI





# SOCKETS

#### 1/4"DR SOCKET SET METRIC/SAE 43 PIECE

- 12pt 4 to 13mm
- 12pt 3/16 to 1/2
- Deep 6pt 4 to 13mm
- Deep 6pt 3/16 to 1/2
- Flex Handle
- 90T Ratchet
- Extension Bars Universal Joint

**NEW DESIGN** 

SP20101

NEW

6 PT

12 PT



- 12pt 6 to 22mm 12pt ½ to 7/8 Deep 6pt 10 to 19mm Deep 6pt 3/8 to ½
- Spark Plug sockets
- 90T Ratchet
- Flew Handle
- Extension Bars Universal Joint





#### 90 TEETH

• Steel handle - one piece

Specially strengthened ratchet gear teeth to sustain

SP21361 1/4"Dr 125mm SP22361 3/8"Dr 195mm

### SEALED HEAD **RATCHETS** FLEX-HEAD

000000000

90 TEETH

• Steel handle - one piece

> • Specially strengthened ratchet gear teeth to sustain maximum applied torque

MODEL	DRIVE	LENGTH	PRICE
SP21365	1/4"Dr	159mm	\$45
SP22365	3/8"Dr	295mm	\$65
SP23365	1/2"Dr	455mm	525

### **SEALED HEAD** RATCHETS

#### LONG 90 TEETH

 Steel handle - one piece
 Specially strengthened ratchet gear teeth to sustain maximum applied torque

MODEL	DRIVE	LENGTH	PRICE
SP21366	1/4"Dr	280mm	\$ <b>5</b> 5
SP22366	3/8"Dr	430mm	<i>\$</i> 75
SP23366	1/2"Dr	600mm	SOF

#### **3PC WOBBLE EXTENSION BAR SETS**

### SETS AVAILABLE IN

 Access hard to reach nuts and bolts in engine bays

> SP21330 1/4"Dr SP22330 3/8"Dr

SP23330 1/2"Dr

## SFALED.

#### **HOUSED IN EVA FOAM TRAYS**

- Sets icludes 1/4", 3/8" and 1/2" drive Ratchets
   90 Tooth gear for 4" swing angle
   Compact oval ratchet head for better accessibility
   Sealed ratchet head to reduce internal wear and tear



SP29310



EXTRA LONG **FLEX HEAD** 

**FLEX HEAD** 

SP29320



90

TEETH

## HEADS



#### 1/4"DR SOCKET **LOW PROFILE** METRIC/SAE 6 PT **23 PIECE**

- Metric 4 to 13mm
- SAE 5/32 to 9/16"
- Low Profile Ratchet

LOW PROFILE DESIGN

SP20121



#### 3/8"DR SOCKET **LOW PROFILE** METRIC/SAE **22 PIECE**

- Metric 8 to 19mm
- SAE 1/4 to 3/4"
- Low Profile Ratchet



# > IMPACT SOCKETS

**12PC 3/8"DR IMPACT** TWIST SOCKET SET



- Metric: 8, 10 to 19mm

removal

 Pin punch for bolt removal Twisted teeth dig in to rounded bolts/lug nuts to provide extreme grip for easy



"DR IMPACT SOCKET SETS

Flat drive technology offers maximum contact and grip
 Premium quality, high strength Chrome Molybdenum steel
(Cr-Mo) for extreme durability

**9PC METRIC** 

27, 30, 32, 34, 36, 38, 41, 46 & 50mm

SP20510

6 PT 9PC SAE

• 1, 1-1/8, 1-1/4, 1-3/8, 1-1/2, 1-5/8, 1-3/4, 1-7/8 & 2"

SP20515



### 3/4"DR IMPACT SOCKET SETS

#### **8PC METRIC**

 24, 27, 30, 32, 34, 36, 41 & 46mm

TWIST



• 1. 1-1/16. 1-1/8. 1-1/4, 1-5/16, 1-3/8, 1-7/16 & 1-1/2"



#### **9PC 1/2"DR INHEX IMPACT SOCKET SET**



SP20370 9pc Metric • 4, 5, 6, 7, 8, 10, 12, 14 & 17mm

\$149

**9PC 1/2"DR INHEX IMPACT SOCKET SET** 



9pc SAE • 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16 & 5/8" \$149 9PC 1/2" DR TORX IMPACT SOCKET SET



SP20380 9pc TORX • T20, T25, T30, T40, T45, T50, T55, T60 & T70

\$149

3/8"DR SWIVEL IMPACT SOCKET RAIL SETS



• 10 to 19mm SP20256

7pc SAF • 3/8 to 3/4"



1/2"DR SWIVEL IMPACT SOCKET RAIL SETS



• 10 to 24mm

SP20356 9nc SAF

• 3/8 to 7/8" SP20366



3/8"DR DEEP IMPACT SOCKET RAIL SET

10pc METRIC • 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm SP20260







#### 1/2"DR IMPACT 6PT DEEP SOCKET RAIL SETS

11pc Metric • 10 - 24mm





#### 1/2"DR IMPACT TAMPER SPLINE SOCKET RAIL SET

• 4x 44mm (L): M12, M14, M16, M18 • 4x 77mm (L): M12, M14, M16, M18

SP20385



3/8"DR IMPACT SOCKET RAIL SET

10nc MFTRIC 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm







• 1/2"Dr • 10 to 24mm SP20355





3PC 3/4" DR DOUBLE SQUARE IMPACT SOCKET SET

• 17, 19 and 21mm SP20470

# HAND TOOLS

## **CHISELS**

#### **5PC COLD** CHISEL SFT

- SET INCLUDES 12, 16, 20, 24 & 29mm
- Suitable for cutting and
- scoring steel Cr-Mo alloy

SP30821



#### **HOLLOW PUNCH SET** 9 PIECE

• 2.5, 3, 4, 5, 6, 7, 8, 9 & 10 mm





#### DRILL BIT SFTS HIGH SPEED STEEL

- · Made from high quality high speed steel (HSS)
- Industrial grade extremely sharp, strong and durable
- Drills perfectly round holes in steel, brass, plastic, wood etc.

#### • 1-10mm (0.5

Increments)

SP31390





#### **5 PIECE TUNGSTEN CARBIDE BURR SETS**

- Extremely durable
- Heavy duty, superior
- cutting power Ideal for deburring, carving, grooving, shaping, finishing and

#### **INCLUDES**

- 10 x 20mm Cylinder
- 10 x 20mm Cylinder Radius Top
   8mm Dia. Ball
   10 x 25mm Tree Radius Top
- 12 x 20mm Oval

MODEL APPLICATION SP31380 Steel SP31385 Aluminium

#### 12" HACKSAW PROFESSIONAL Quick release mechanism for easy blade change · Ergonomic design for comfortable 2 handed operation • 90°/45° blade settings

#### Heavy duty, rugged design with non-slip rubber grip • 12"/305mm

- blade & 95mm throat

SP35100



## RIVETERS & NUTSERTS





## **HAMMERS**

#### RUBBER MALLETS Non Marring • Fibreglass Handles

AVAILA	BLE IN	WHITE	
MODEL	SIZE	COLOUR	PRICE
SP30275	16oz	White	\$13
SP30274	16oz	Black	\$13
SP30276	24oz	Black	\$16

#### **DEAD BLOW HAMMER**

#### ONE PIECE

- Rebound dampening shot filled head - No recoil

  Controls striking force
- with minimal rebound from the striking

Δ	1		
	MODEL	SIZE	PRICE
	SP30216	454g/16oz	\$1 <b>9</b>
	SP30232	907g/32oz	\$ <b>29</b>
	SP30237	1247g/44oz	\$35
	SP30248	1361g/48oz	\$ <b>39</b>

#### **BALL PEIN HAMMERS**

#### ONE PIECE - ANTIVIBRATION

- One-piece hardened and tempered carbon steel hammer for extreme strength and durability
- One piece antivibration head and shaft design
- Non-slip rubber grip

A STATE OF THE PARTY OF THE PAR			
	MODEL	SIZE	PRICE
4	SP30185	454g / 16oz / 1lbs	\$ <b>45</b>
<b>O</b>	SP30186	680g / 24oz / 1.5lbs	\$ <b>49</b>
	SP30187	907g / 32oz / 2lbs	\$55
0	SP30185 SP30186	454g / 16oz / 1lbs 680g / 24oz / 1.5lbs	\$4 \$4



• 227g / 8oz / .5lbs SP30189



- Hardened high quality steel head
- Durable nanofiber handle for strength and shock reduction

MODEL	SIZE	PRICE
SP30335	1276g/45oz/2.8lbs	\$1 <b>9</b>
SP30352	1503g/53oz/3.3lbs	\$24
CD20270	1985g/70oz/4.3lbs	\$29
3530370	13038/7002/4.3103	423



# > THREAD & STUD REPAIR



#### 42PC RETHREADING KIT AUTOMOTIVE

- Taps & dies are suitable for chasing out damaged threads and the removal of nicks/burrs without undercutting good
- Thread file restores damaged external threads on any diameter
- Right or left hand

#### **INTERNAL & EXTERNAL THREAD FILES** INDIVIDUAL

- damaged left or right-hand Restores any diameter external threads
- Includes easy slip-on **PVC** grip

SP31302

MODEL	TYPE	SIZES	PRICE
SP31305	Metric	• 0.75, 1.00, 1.25, 1.50, 1.75, 2.00, 2.50 & 3.00mm	\$49
SP31306	SAE	• 11, 12, 13, 14, 16, 18, 20 & 24 TPI	\$49
SP31307	SAE	• 9, 10 , 12, 16, 20, 27, 28 & 32 TPI	<i>\$49</i>

TAP & DIE SET 32 PIECE

- Ideal for chasing out damaged threads and the removal of nicks/burrs without undercutting good

- threads
  Cuts threads and bores
  taps quickly
  Designed specifically for
  the automotive mechanic
  Covers 6-18mm with
  common thread pitch sizes
  Housed in EVA foam in a
  blow moulded case



#### SCREW EXTRACTOR SET - 5PC

- Remove broken studs.
- screws, bolts etc 1/8", 3/16", 15/64",
- Tapered spline



#### **4PC DEBURRING** TOOL SET

- 4 Various extra fine deburring tools for a smooth finish
- Remove burrs from plastic, copper, aluminium & ferrous metal pipes Pocket clip

SP31340





 Threads designed to remove broken fasteners without breaking or jamming

• Fluted type extractors that provide a solid

25 PIECE

5mm to 16mm

studs and screws

• For extracting broken screws, studs & bolts:

SCREW EXTRACTOR SET

**DRILL BIT & GUIDE** 



SP31320 SCAN ME

CHECK OUT THE DEMO VIDEO

## **WOKRSHOP GEAR**

#### SUMO SERIES **GARAGE** CREEPER

- 20% wider Ideal for bigger built/ taller blokes
- Heavy duty steel
- frame • 6 heavy duty
- castors Wide padded body & head
- Capacity: 150kg





#### FAST BACK

**IDEAL FOR WORK ON** TRUCKS & BUSES

- 3" twin axis sealed bearing

- 1040 x 570 x 230mm

**CHECK OUT THE** PRODUCT VIDEO





## **AVAILABLE** MID JULY 2022 PRE- ORDER NOW



- Ergonomic shape
   Heavy duty HDPE shock proof body
- control caster
- 7" dual bearing all-terrain wheels
- Built-in tool trays
   Soft Polyurethane headrest
- 2 Position ground clearance (Ultra Low & Off Road)
- Capacity: 225Kg (500 lbs)



SCAN ME



### PROTECTIVE MECHANICS SEAT COVER

- Heavy duty nylonEasy slip-on design



#### **MECHANICS MAGNETIC PROTECTOR**



 Contains hidden sleeved magnets to hold cover firmly in

. Resistant to oil, grease & water

position





# SCREWDRIVER, BIT SETS AND HEX KEYS



SP34521

#### **METRIC**

1.27, 1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8 & 10mm

SP34522



• 0.05, 1/16", 5/64", 3/32" 7/64", 1/8", 9/64", 5/32" 3/16", 7/32, 1/4", 5/16" & 3/8"



T-HANDLE HEX KEY SET SP34705

**METRIC - BALL DRIVE** • 2, 2.5, 3, 4, 5, 6, 8 & 10mm



#### SAE - BALL DRIVE

• 5/64", 3/32", 1/8", 5/32", 3/16", 1/4 5/16" & 3/8"

SP34708 TORX

• T8, T10, T15, T20, T25, T30, T40 & T50





### 12PC PREMIUM **HEAVY DUTY SCREWDRIVER**

- 6 x Slotted 6 x Phillips
- Quality SVCM steel shafts Magnetic tips for greater fastener control
- Durable ergonomic handles. featuring anti-slip grip





### **SCREWDRIVER 6 PIECE**

#### **PRECISION**

#### CONTENTS

- 3 x Slotted 2.0 x 50, 2.4 x 50 & 3.0 x 50mm
- 3 x Phillips #000 x 50, #00 x 50 & #0 x 50mm
- Tapered handle for rapid rotation
- Durable ergonomic handle
- featuring anti-slip grip
   Revolving handle cap for
- precision and speed Precision ground Chrom
- Vanadium Steel (Cr-V) blades Induction hardened, magnetic tips for greater fastener control, strength and durability







## **MEASURING**

### **DIGITAL FLEX HEAD** TORQUE WRENCH

#### ONE-STEP TORQUE-ANGLE

- Flex Head Ratchet The ultimate in confined space convenience
- Range selection: Nm, in-lb, ft-lb, kg-cm, " ° "
- Calibrated for both Clockwise and Anti-Clockwise use Warning LED's and
- audible alarm sounds within 10% of target

Automatic torque value com

- for flex head angle deviation

• Selectable Torque Functions: Peak mode & Tracking mode Angle function: 0° to 360°

FLEX HEAD

## DIGITAL DISPLAY TORQUE TARGET ALARM

6.8 to 135Nm 425mm

1/2" 10 to 200Nm 535mm

3/8

17 to 340Nm

### **MICROMETER TORQUE WRENCHES**

- Click type signal alerts user when the required torque is
- Reversible ratchet (clock wise torque only)
- Scale Adiuster accurate & easy adjustment

TORQUE TARGET ALARM Audible click for when torque target is reached

- Adjuster lock will hold required setting during use
  • Easy readable scale convex lens enlarges well defined, bold scale numbering. (Nm scale only)
  - Ouick release mechanism

,	SP35152	1/4"	323mm	5-25Nm	\$1 <b>69</b>
	SP35252	3/8"	400mm	20-100Nm	\$1 <b>89</b>
	SP35352	1/2"	517mm	40-200Nm	\$199
	SP35463	1/2"	517mm	60-340Nm	\$799
	SP35573	3/4"	1210mm	150-750Nm	\$1099

### 150мм/6"

200мм/8"

SP35608



### DIAL INDICATOR

- 0-10mm dial indicator
- Graduation: 0.01mm
- Hardened, lapped stainless steel stem and spindle
- High sensitivity, stable and reliable accuracy






- Diameter of bezel:



- SUITS DIAL INDICATORS Attaches horizontally or
- vertically to flat surfaces cylindrical surfaces
- Fine adjust arm and solid knobs
- Flexible, precise rotary joints adjust any direction





Powerful magnetic









- 4-way measurement -Inside, outside, step & depth
- Slider provides smooth, stable and comfortable operation
- Metric & SAE measurement



# S & CUTTERS

## **PLIERS**

**4PC CIRCLIP PLIER SETS** 



- Suitable for installing and removing external and internal
- retaining clips
   Slim jaws for optimum access
- Chrome Vanadium Steel (Cr-V) for high durability
- Spring loaded ergonomic handles with non-slip cushion grips

AL	SO AVAILABLE INDIVID	JALLY
MODEL	SIZE	PRICE
SP32301	INTERNAL STRAIGHT 175MM	\$ <b>29</b>
SP32302	EXTERNAL STRAIGHT 175MM	\$ <b>29</b>
SP32303	INTERNAL BENT 175MM	\$29
SP32304	EXTERNAL BENT 175MM	\$29

# 4-IN-1 SNAP RING PLIER SET

- 4x INTERCHANGEABLE HEADS
- Internal straight
- Internal bent
- External straight
- External bent
- 160mm long plier with 4x interchangeable heads
- Compact, lightweight and portable
- Ergonomic design







- INDUSTRIAL SHEARS/SCISSO
  - Industrial duty stainless steel, non-slip serrated edge blades for increased cutting capacity Ideal for multiple applications, from thin wire to Kevlar<sup>®</sup>
    Spring-loaded action provides responsive snipping action
    Ergonomical non-slip grip handles
    Steel locking latch keeps shears safe and secure

#### **AVAILABLE IN 2 OPTIONS**


MODEL	BLADE TYPE
SP32267	Rounded Tip
SP32266	Safety Tip

### **HEAVY DUTY AVIATION SNIPS** 250MM (10") COLOUR CODED

- Heavy duty forged chrome molybdenum (Cr-Mo)

- Heavy duty ingred trimone motypatentin (CI-Woy) blades for increased strength and durability
   High leverage allows effortless extended use
   Non-slip serrated blades
   Spring-loaded ergonomical non-slip grip handles
   Steel locking latch automatically releases with the squeeze of the handles
   Cuts up to 16 Gauge steel (1.2mm)

•		
MODEL	TYPE	PRICE
SP32261	RIGHT CUT - GREEN	\$1 <b>6</b>
SP32262	STRAIGHT CUT - YELLOW	\$1 <b>6</b>
SP32263	LEFT CUT - RED	\$1E





## **LOCKING PLIERS**

## SHEET METAL 200MM (8") Wide jaws for extra grip Heavy duty knurled adjuster nut Easy quick-release


#### WELDING CLAMP 230MM (9")

- Heavy duty non-slip jaws Heavy duty knurled
- adjuster nut Easy quick-release



## **C-CLAMP LOCKING PLIERS**

- · Powerful non-slip locking grip
- Large, high clearance jaws for greater versatility
- Chrome Molybdenum steel for strength and durability
- · Heavy duty knurled fine adjuster nut
- · Soft grip coated quick-release trigger







SP32613

250mm/10"

\$25

#### SWIVEL PAD

MODEL	SIZE	PRICE
SP32655	150mm	\$ <b>29</b>
SP32656	275mm	\$ <b>39</b>
SP32657	380mm	<b>\$49</b>
SP32658	450mm	\$ <b>59</b>



SWIVEL PADS ON CLAMP TIPS FOR UNEVEN SURFACES AND ODD ANGLES

**FROM** 

#### STANDARD JAW

MODEL	SIZE	PRICE
SP32650	150mm	\$25
SP32651	275mm	\$ <b>35</b>
SP32653	450mm	\$ <b>55</b>



HIGH CLEARANCE JAWS

**POWERFUL NON-SLIP GRIP**  **FROM** 

# > AUTO SPECIALITY



• Designed for the installation and removal of silent bearings, hydro bearings, bushings, ball bearings,

simmer rings, shaft seals, rubber bearings etc.
 Universal applications: Suitable for domestic & import vehicles, passenger cars, trucks, SUV's, 4WD and more
 High quality CRV construction
 Commercial quality

#### KIT INCLUDES

- Press Sleeves in various sizes
- 4x pulling spindles with nuts
- and thrust bearings 4x Top plate discs:

SCAN FOR A COMPLETE LIST **OF SIZES INCLUDED** 





#### O-RING & SCRIBE SET 2 PIECE

- Both tools facilitate easy removal & installation of O-rings & seals, scribing,
- carving & part placement Combination pick and hook pick

90° pick and straight



#### 3/8"DR OXYGEN SENSOR SOCKET

- 3/8"Dr x 22mm
- Common 6 point socket fits most oxygen sensors
- Applications include: itsubishi, Nissan, GM and the Volkswagen Audi Group
- For heated & non-heated lambda sensors



#### E-RING TOOL KIT

- Reversible blades hold E-Ring in place for easy installation
- Suitable for fast removal and installation of E-Rings without damage.





#### **7PC SENSOR SOCKET SET**

- Socket windows allow wires on the sensors to be bypassed
- Applications include Mitsubishi, Nissan, and the Volkswagen Audi Group
- For heated & nonheated lambda sensors



#### PARTS BRUSH "BUCKET"

"Bucket brushes" are designed for hand use in a parts washing sink or solvent container

#### PARTS BRUSH "FLOW -THROUGH"

"Flow-Through" brushes are designed for parts washing sinks with circulating



#### **GASKET SCRAPER HEAVY DUTY 25MM**

 Heavy duty alloy steel blade







### **HOOK & PICK SETS - 4PC**

#### REGULAR

- INCLUDES: Awl tool
- 45° tool
- 90° tool


SP30802

There's nothing worse than losing a small part when you're working under the hood or in a workshop. These magnetic based stainless steel parts trays will make sure you avoid losing parts in the future.



#### MAGNETIC PARTS TRAY 140 X 240MM SP30911

Low profile



MAGNETIC PARTS TRAY 270 X 295 X 30MM



#### **EXTRA LONG**

- Heavy duty alloy steel blades 400mm
- Heavy duty handles
- with comfort grip • 1x Rubber hook
- 1x Angular hook

1x Long hook





# > ENGINE SERVICE

## **DIESEL INJECTOR** SYSTEM PRIMING

 Essential for reintroduction of fuel into fuel pump following maintenance, such as fitting of new diesel filter or following drainage of fuel tank

# COMMON RAIL

itable for fast and safe removal,

injectors.
Set includes heavy duty slide hammer,
1/2"Dr deep open profile sockets, used
to dismantle injectors, plus adaptors for

 Window in socket allows the wires attached to the sensors to be bypassed, eliminating wire damage



#### **HEAVY DUTY PETROL COMPRESSION TESTER KIT** • Easy reading 2-5" gauge features colour coated quadruple calibrations 0-300psi 21kg/cm, 21bar & 2100kpa • 13" durable rubber hose with 14mm/18mm adapter 6" Heavy duty stem with universal rubber cone adapter fits all plugs All housed in a EVA foam tray and heavy duty blow mould storage case

HEAVY DUTY BLOW MOULD

STORAGE CASE

# PETROL COMPRESSION

- 2.5" gauge with dual scale, 0-300psi, 0-21kg/cm2, 0-300psi

  • Pressure relief valve allows
- repeated on-vehicle test
- Includes multiple adaptors

to fit most applications



#### **ENGINE OIL PRESSURE TESTER**

- Includes adapters to suit most vehicles
- 610mm long flexible hose

SP66069



#### **AC & FUEL LINE** DISCONNECT SET

Easy clip over design Simple push under fitting until hose releases

5/8", 3/4" & 7/8

SP64050



- SIZES INCLUDE
- 8mm (5/16") 9.5mm (3/8")
- 9.5mm (3/8") Cooler Line
- 9.5mm (3/8") Oil Cooler Line
- 13mm (1/2")
- 16mm (5/8")
- 19mm (3/4" 22mm (7/8")



#### **COMPRESSED AIR** ADAPTOR

- closed whilst spring is
- threaded fittings for car and light commercial use



#### VALVE LAPPERS

- Hand grind small & large flat head unslotted valves
- Comfort grip contoured hardwood handles
- SET INCLUDES: Small cup dia.
   5/8" & 13/16"
- Large cup dia. 1-1/8" & 1-3/8'



#### **VALVE SPRING COMPRESSOR SCREW TYPE OVERHEAD**

- The jaws grip in parallel
- compression
   Suits cars and light trucks

F



#### **FUEL LINE** DISCONNECT TOOL

• Fits E-3/8" & F-5/16" fuel lines Release locking coupling on 5/16" & 3/8" fuel lines

SP64051

#### **52PC PITCH GAUGE** METRIC/SAE

- Designed to easily identify metric and SAE thread pitch sizes
  • Range: 0-25 to
- 6mm • Pitch: 4 to 62

SP64037

### FEELER GAUGE SET 25PC Marked with metric sizes Hardened straight

#### **OFFSET FEELER GAUGE 25PC DOUBLE SIDED**

- 005"-030" (0.127-0.762mm) Marked with equivelent
- metric/inch sizes Offset blades

## 100mm (L) x 13mm(w) with 25mm offset tips

### FEELER GAUGE SET 12PC OFFSET

- 0.008" 0.026" Marked with equivalent metric
- Offset blades 100mm long x 13mm wide with 25mm offset tip





# ECTRICAL & DIAGNOSTIC



#### ADJUSTABLE ADVANCE TIMING LIGHT

- Quickly tune-up cars, trucks, marine and recreational
- Works on conventional and computer controlled ignition systems
- Works on adjustable, non adjustable timing systems
- Testing range 0-10,000rpm Advance degrees 0º to 60º

SP62040

#### **PROFESSIONAL TIMING LIGHT**

- Four functions, digital readout & easy to read backlit LCD
- Tachometer: 249 to 9,990RPM (+/- 1% Accuracy)

  • Advance degrees (2 & 4 cycle DIS
- and Conventional): 0° to 90° (+/-.5°
- Dwell: 0° to 180° / 2-12 cylinders (+/-1% Accuracy)
- Voltage: 10 to 16 volts DC (+/- 1% Accuracy)

SP62042

#### **LASER** ACTUATED TACHOMETER

- · Non contact measurement of RPM
- Instant and total RPM function
- RPM range 2.5-99,999
- Memory function
- 50mm-2000mm range with reflective tape

SP62030

#### **TACHOMETER** DIGITAL

- Laser target
- LCD display with backlight
- Range: 100-30000rpm, 1.7-500rps
- Protective cover & carrying case
- · Auto power off
- Accuracy: +/-0.1%

SP62032



IRRRRR

#### DIGITAL MULTIMETER

- 2000 counts digital display
- Safety Design Cat 3 600v
- Non-contact ACV detection
- Type K temperature input
- Continuity, diode test, resistance



SP62015

#### **DIGITAL AUTOMOTIVE** MULTIMETER

- RPM measurement for 2-10 cylinder automotive engines using the inductive pick-up
- 14 functions Check SPTOOLSNZ.COM for a full list of features and applications

SP62011



#### **IGNITION SPARK TESTER INLINE**

- Checks whether there is high tension spark potential at the spark plug Ideal for
- modern vehicles with
- Easy to use Remove

rubber boot from spark plug, insert inline tester & place tester boot on plug.



## **BATTERY POST & TERMINAL**

- Easy cleaning of battery posts & terminals
- Internal & external wire brushes



#### **AUTOMATIC WIRE STRIPPERS**

- Insulated: AWG: 10-22 (0.5-6mm<sup>2</sup>)
- Non Insulated: AWG: 12-10, 16-14, 22-18 (4-6, 1.5-2.5, 0.5-1mm<sup>2</sup>)
- 200mm (8")
- Crimper features Strips and cuts
- cable or wire 24-10 AWG (0.2 to 6.0mm)



#### **MULTIMETER DUAL TEST LEAD SET ALLIGATOR &** STANDARD

**PROBE SET INCLUDES:** 

- Alligator Clip Test Lead Set
- Standard Probe Test Lead Set
- Suits all SP Multimeters Silicon rubber insulated cable - 1m
- CAT III 1000V. 10A







**TOOLS INCLUDED** 

#### MANUAL BRAKE BLEEDER KIT

Automatically bleed brakes and refill the fluid reservoir

#### STRAIGHT JAW LINE CLAMPS X2

 Seals 3 to 8mm flexible brake and fuel lines

DISK BRAKE SPREADER
Allows for easy compression of brake piston to aid in brake pad changes

#### **AKE FLUID TESTER**

Test for moisture content in the brake fluid

## Brake bleeder double ring

• Set Includes: 8x10mm, 9x11mm & 3/8x7/16"

#### **8PC BRAKE GAUGE SET**

• Made from 20 gauge sheet metal with durable powdercoat finish

#### **800ML VACUUM BRAKE BLEEDER**

- Quick release locking trigger
- Universal rubber bleed screw fitting
- 700mm bleeder hose
- · Compact size fits easily in the wheel area
- Universal rubber fitting holds securely on brake bleed screw
- Convenient hanging hook and quick release trigger

SP70852





 Pressure range makes unit suitable for use with ABS

systems
• Fitted with Ø42mm cap and suitable for most European

 Additional adaptors available to expand vehicle capabilities

**EXPAND THE RANGE OF** SERVICEABLE VEHICLES WITH THE ADAPTORS BELOW

#### **ADAPTORS**

SUITS SP70809



Hyundai, Mitsubishi, Nissan & Subaru \$**19**.00 SP70821 \$21.00 SP70822 Ford Escape \$85.00 SP70823 Tovota & Lexus \$85.00 SP70824 Aus Ford

UNIVERSAL CLUTCH ASSEMBLY TOOL Design allows easy

assembly of clutch whilst on a work bench the complete unit for installation to the vehicle Supplied with various collets for a range of shaft diameters

## **HEAVY DUTY TUBE CUTTER** Use to cut tubing made of hard and soft copper, aluminium, brass, thin wall steel and stainless steel lines SP63042

#### **DISC BRAKE DIGITAL CALIPERS**



- 0-100/0.4" Digital Display
- Double Point law
- Graduation 0.01mm/0.0005"

#### **8PC BRAKE GAUGE SET**

 Accurate measurement of the amount of brake lining that is left without guess work



#### COLOUR CODED

Red: 2mm. 3mm (Pads must be replaced)

- Yellow: 4mm. 5mm, 6mm (Replacement suggested)





3PC 75° OFFSET **BRAKE BLEEDER DOUBLE RING** SPANNER SET

#### METRIC & SAE

SET INCLUDES: • 8x10mm, 9x11mm 8



# **>** STORAGE



2000KG

## **SUMO SERIES ROLLER CABINET** WITH POWER TOOL CUPBOARD AND BUILT-IN POWER BOARD

#### 1434w x 560d x 1090h (mm)

- Stainless steel work top
- Heavy duty 28 ball bearing drawer slides
- Internal locking system SP Cliklok drawer locking
- system ensures drawers stay closed and secure
- Heavy duty wheels
- Double powder coating resists scratching

Built-in power board with 4 individually switched power outlets and 4 USB ports, adjustable shelf and deep drawer



**FULL LENGTH DEEP POWER TOOL** TO DRAWER **CUPBOARD** 

**BUILT-IN POWER BOARD** 

**SP CLIKLOK DRAWER** LOCKING SYSTEM

## **PROFESSIONAL** RVICE TROLLEY

870(W) x 475(D) x 848(H)

- 2x Fixed & 2x lockable swivel heavy duty castors
- 150kg Load Capacity







WORKTOP

**TOOL TROLLEY** 

- Screwdriver slots on both sides of trolley
- 2x Swivel lockable heavy duty castors
- 2x Fixed heavy duty castors

